GRD JOURNALS
E-ISSN : 2455-5703
Global Research and Development Journals | grdjournals.com
info@grdjournals.com
Volume-04 Issue-01 JANUARY - FEBRUARY 2026
Received: JANUARY 18 Revised: FEBRUARY 02 Accepted: FEBRUARY 28 Published: MARCH 11

Federated Cloud Intelligence for Real-Time Precision Medicine

Ethan Williams
Asst Professor

Abstract: **Cloud-Native Federated Intelligence Framework for Real-Time EHR Analytics and AI-Driven Precision Medicine examined real-time electronic health record (EHR) analytics and artificial intelligence (AI)-driven precision medicine through dedicated applications based on a cloud-native federated intelligence framework. Real-world healthcare deployment requires cloud-native principles and technologies to meet strict demands for rapid response times, resilience, and security. Direct access to data between healthcare institutions presents significant privacy concerns. Federated Intelligence addresses these issues by defining a technology stack that ensures interoperability across diverse institutions and enabling a replicable, reusable, formally governed approach to safe data access.**

Keywords: Cloud-native, federated intelligence, electronic health record, real-time analytics, precision medicine

Prior research on clinical decision support using electronic health record (EHR) data has focused on a single health organization. Consequently, there has been little consideration of the issues surrounding sensitive data, such as security, privacy, and interoperability. These issues could be alleviated through the adoption of a cloud-native architecture that implements a federated intelligence layer for shared access to EHR data across different organizations. A cloud-native, federated-intelligence framework supporting real-time interaction with EHRs, for use in AI-driven clinical decision support and precision medicine applications, is an attractive prospect. through the definition and fulfillment of a formal metric specification.

Table 1: Core Research Focus


Aspect	Description
Primary Objective	Develop a cloud-native federated intelligence framework for real-time EHR analytics and AI-driven precision medicine.
Key Technologies	Federated learning, cloud-native microservices, AI-driven analytics, precision medicine.
Healthcare Scope	Clinical decision support, sepsis detection, COVID-19 risk assessment, patient monitoring.
Main Benefits	Privacy preservation, interoperability, scalability, resilience, low-latency analytics.

To obtain a cloud-native architecture, the framework is built using microservices and containers with serverless functions orchestrated by the cloud provider, which provides scalability, high availability, resilience to failures, and security-by-design features. The solution leverages the federated intelligence layer to distribute real-time EHR analytics and detect sepsis in such a way that the management of sensitive patients' data remains under the control of the health organizations or within the systems that combine the smart analytics. The approach features real-time analytics concerning a set of common decision support requirements and includes development and inference of a risk scoring model in addition to a notification mec

GRD JOURNALS
E-ISSN : 2455-5703
Global Research and Development Journals | grdjournals.com
info@grdjournals.com
Volume-04 Issue-01 JANUARY - FEBRUARY 2026
Received: JANUARY 18 Revised: FEBRUARY 02 Accepted: FEBRUARY 28 Published: MARCH 11

1. Introduction

Electronic Health Records (EHRs) provide a rich source of time-stamped health data that could enable real-time data-driven analytics and AI-assisted clinical decision support. Nevertheless, major privacy and security challenges must be addressed before EHR data can be effectively used for such purposes. Federated learning has emerged as a potential solution for training machine learning models across multiple institutions and locations without sharing the actual data, thus preserving privacy. Such a federated intelligent framework may also offer a valuable alternative for the advancement of digital transformation in several other domains. Despite the inherent ability of federated learning to mitigate privacy and security threats, the successful design and deployment of federated learning solutions applicable to real-time EHR analytics remain largely unexplored. In addition, the implementation of federated learning systems poses various other challenges, including communication efficiency, data heterogeneity, and the design of suitable asynchronous training protocols.



The rapid AI-driven development of a cloud-native federated intelligence framework primarily targets privacy-preserving real-time EHR analytics. The resulting analytical solution for COVID-19 risk assessment and patient monitoring comprises an EHR-fed clinical decision support service based on risk scoring and alerting logic. The service is realized by a range of microservice components that guarantee an acceptable level of latency. Although tailored to meet the needs of hospital-specific deployment, such a real-time EHR-analytics service also integrates a set of interfaces that facilitate the wider sharing of decision support rules and algorithms within a cloud-native federated environment. The architecture is validated through experiments involving a COVID-19 assessment application located in a single institution.

1. Federated Model Aggregation Equation

Let each hospital/node $k$train a local model with $n_k$patient records.

$$N = \sum_{k=1}^{K} n_k$$

Each local model has weights:

$$w_k^{(t+1)}$$

The global model is the weighted average:

$$w^{(t+1)} = \sum_{k=1}^{K} \frac{n_k}{N} w_k^{(t+1)}$$

Step-by-step:

$$w^{(t+1)} = \frac{n_1}{N} w_1^{(t+1)} + \frac{n_2}{N} w_2^{(t+1)} + \cdots + \frac{n_K}{N} w_K^{(t+1)}$$

Since:

$$N = n_1 + n_2 + \cdots + n_K$$

the final equation becomes:

$$\boxed{w^{(t+1)} = \frac{1}{\sum_{k=1}^{K} n_k} \sum_{k=1}^{K} n_k \, w_k^{(t+1)}}$$

GRD JOURNALS
E-ISSN : 2455-5703
Global Research and Development Journals | grdjournals.com
info@grdjournals.com
Volume-04 Issue-01 JANUARY - FEBRUARY 2026
Received: JANUARY 18 Revised: FEBRUARY 02 Accepted: FEBRUARY 28 Published: MARCH 11

2. Background and Motivation

There is significant interest in building cloud-native enterprise solutions for real-time analytics of Electronic Health Records (EHRs). Real-time processing combines continuous real-time queries with analytic models based on historical data. The main vulnerability of modern Cloud solutions is represented by the huge volume of personal sensitive information, stored in databases shared by all users, and therefore potentially accessible by malicious agents. Research papers based on Federated Learning (FL) forecast a new dawn for Machine Learning-based solutions that promise to limit both privacy loss and model accuracy drop, but considerable challenges remain. Precision Medicine requires that patients should be treated considering their personal characteristics, risk factors and lifestyle, and its application to treatment decision making should be supported by AI decision-support systems providing reliable predictions with low probability of error.

Table 2: Cloud-Native Paradigms

Paradigm	Purpose	Benefits
Microservices	Decouple applications into independent services	Scalability, Agile development, DevOps support
Containerization	Encapsulate software and dependencies	Portable deployment and faster delivery
Orchestration	Coordinate distributed containers	Monitoring, security, automation
Scalability	Dynamic resource allocation	Autoscaling and instant provisioning
Resilience	Graceful degradation and failover	Reduced downtime
Security-by-Design	Protection integrated into all layers	Encryption, DDoS/XSS protection

2. Local Model Update Equation

Each hospital updates its model using gradient descent.

Start with local loss:

$$L_k(w)$$

The gradient is:

$$\nabla L_k(w^{(t)})$$

Using learning rate η:

$$w_k^{(t+1)} = w^{(t)} - \eta \nabla L_k(w^{(t)})$$

Step-by-step:

$$\text{new weight} = \text{old weight} - \text{learning rate} \times \text{gradient}$$

So:


$$\boxed{w_k^{(t+1)} = w^{(t)} - \eta \nabla L_k(w^{(t)})}$$

3. System Architecture

Emerging demands for real-time EHR analytics and AI-driven precision medicine require a cloud-native software architecture that supports agile microservices development and deployment, data governance in a federated setting, and


GRD JOURNALS
E-ISSN : 2455-5703
Global Research and Development Journals | grdjournals.com
info@grdjournals.com
Volume-04 Issue-01 JANUARY - FEBRUARY 2026
Received: JANUARY 18 Revised: FEBRUARY 02 Accepted: FEBRUARY 28 Published: MARCH 11

interoperability across multiple institutions. A cloud-native software architecture comprises cloud-based computing platforms that employ technologies such as microservices, containers, and container orchestration to deliver scalable and resilient systems. Deployment is undertaken in collaboration with cloud service providers, who assume responsibility for physical security, resource allocation, and fault recovery. The cloud provider's infrastructure is exploited to provide services within a software-as-a-service model. Such a paradigm supports resilience to hardware failures and denial-of-service attacks, while security is further enhanced if the application is designed according to the principles of security-by-design.



A key component of cloud-native applications in the context of EHR analytics is a federated intelligence layer. Federated learning technologies allow development of machine learning models at multiple institutions without sharing the underlying data with any of them. Most of the data-sensing, processing, and controlling functions are distributed to institutional nodes closer to the original data sources. A federated intelligence layer provides functionalities for federated data access, model training and aggregation, application of privacy-preserving mechanisms during model training and inference, and support for interoperability with other institutions across the region or federation to address complex and rare medical cases, and training of more accurate models for predicting conditions with low incidence.

Data Governance and Compliance Flow



3. Clinical Risk Score Equation

For EHR features:

$$x_1, x_2, \dots, x_m$$

and model weights:

$$\beta_1, \beta_2, \dots, \beta_m$$

the linear risk value is:

$$z = \beta_0 + \sum_{i=1}^{m} \beta_i \, x_i$$

To convert it into probability:

$$R = \frac{1}{1 + e^{-z}}$$

Substitute z:

$$R = \frac{1}{1 + e^{-(\beta_0 + \sum_{i=1}^{m} \beta_i \, x_i)}}$$

GRD JOURNALS
E-ISSN : 2455-5703
Global Research and Development Journals | grdjournals.com
info@grdjournals.com
Volume-04 Issue-01 JANUARY - FEBRUARY 2026
Received: JANUARY 18 Revised: FEBRUARY 02 Accepted: FEBRUARY 28 Published: MARCH 11

Final risk-score equation:

$$R = \frac{1}{1 + e^{-\left(\beta_0 + \sum_{i=1}^{m} \beta_i x_i\right)}}$$

A. Cloud-Native Paradigms

Microservices decouple applications into independently deployable and evolvable services, facilitating Agile and DevOps practices. Containerization encapsulates software and dependencies for portable, environment-agnostic deployment, accelerating software delivery and minimizing cloud resources. Orchestration coordinates, monitors, and secures distributed containers. Scalability enlarges or shrinks resource pools using autoscaling and instant provisioning. Resilience reduces service disruption via graceful degradation and seamless failover. Security-by-design establishes protection at every system layer.

Cloud-native paradigms enhance scalability, resilience, and security-by-design, meeting real-time EHR analytics requirements. Microservices allow scaling according to heterogeneous EHR analytics workloads and resource availability. The completely serverless architecture leverages automatic scaling based on workload demand and provides rapid instant provisioning. Protection from common attack vectors, such as DDoS and XSS, and at-rest and in-transit data encryption minimize privacy leakage during operation.

Table 3: Federated Intelligence Layer Functions

Function	Description
Federated Data Access	Secure access to distributed healthcare data without relocation
Model Training	Train machine learning models across institutions
Model Aggregation	Combine model updates while preserving privacy
Privacy Preservation	Use differential privacy and secure communication
Interoperability	Enable collaboration across healthcare organizations
Monitoring	Track local training tasks and aggregation status

B. Federated Intelligence Layer

The Federated Intelligence Layer serves several critical functions, facilitating secure access to sensitive data without physical relocation and minimizing the privacy risk associated with predictive models derived from these resources. A usability-focused federated intelligence layer offers a layer of abstraction that allows ESG principals to define a data ecosystem that aligns with their requirements while applying federated learning methods to orchestrate analysis across site-specific or shared resources. A federated layer also leverages connectivity and interaction with the broad intelligent edge to collaboratively enhance specific resources across institutional boundaries.




The federated feature extends beyond data-sharing initiatives via federated solutions for model aggregation, with support for privacy-preserving techniques that ensure model parameters contain no sensitive information. The pilot now includes Gaussian differential privacy for release of shared attributes, and solutions enabling patchy communication with limited or no network connectivity are

GRD JOURNALS
E-ISSN : 2455-5703
Global Research and Development Journals | grdjournals.com
info@grdjournals.com
Volume-04 Issue-01 JANUARY - FEBRUARY 2026
Received: JANUARY 18 Revised: FEBRUARY 02 Accepted: FEBRUARY 28 Published: MARCH 11

under investigation. Another important aspect of the federated layer that supports its usability is the definition of an interoperability interface within the ESG community model. These interfaces not only facilitate local learning within data provider silos but, more importantly, provide a mechanism for ESG governing bodies to enrich local training datasets and monitor the status of local training tasks through aggregation of model parameters across ESG components.

Synchronous vs Asynchronous Federated Learning



4. Data Governance and Compliance

Data governance ensures appropriate availability and utilization of data for regulated and legal purposes. Models, datasets, and components contained within the cloud-native federated intelligence framework for real-time EHR analytics and AI-driven precision medicine span multiple governance domains, involving private, nondiscriminatory, health, insurance, environmental, and tax data associated with authorities. The impact analysis of EHR analytics with respect to regulatory compliance, risk, and uncertainty is mapped to five domain boundaries. Regulatory compliance requirements related to data management and availability, security, and risk monitoring are spread across three domains: ethics, security and privacy, and technology. Within these domains, it is imperative to establish appropriately defined and regulated policies for accurate risk scoring and recommendation visualization, as well as for maintaining clinical actionability to alerting and decision support systems. The retained model must apply current medical records and previous medical history to maintain reliability and allow early detection of failure at any stage.

Achieving the technical capability for diverse datasets to share and exchange healthcare data requires adherence to semantically interoperable data and metadata standards. Metadata standards support the harmonization of schemas used throughout the data integration process. The technical environment also ensures recommendations and decision support rules adhere to legal, ethical, and business-policy considerations at multiple healthcare provider organizations. Supporting alignment with these clinical, legal, and organizational factors, audit and provenance results comply with data standpoints of the three organizations involved within the framework. The combination of data sources, technologies, and analytics means that relevant consent, policy, and auditability requirements must be followed. These requirements are similarly required across many healthcare domains where the models are deployed, validated, and tested.

4. Normalized Risk Score Equation

The article says risk scores are normalized into $[0, 1]$.

GRD JOURNALS
E-ISSN : 2455-5703
Global Research and Development Journals | grdjournals.com
info@grdjournals.com
Volume-04 Issue-01 JANUARY - FEBRUARY 2026
Received: JANUARY 18 Revised: FEBRUARY 02 Accepted: FEBRUARY 28 Published: MARCH 11

Given raw score s, minimum score $s_{\min}$, and maximum score $s_{\max}$:

$$R_{\text{norm}} = \frac{s - s_{\min}}{s_{\max} - s_{\min}}$$

Step-by-step:

$$s - s_{\min}$$

measures how far the current score is from the minimum.

$$s_{\max} - s_{\min}$$

measures the full score range.

Therefore:


$$\boxed{R_{\text{norm}} = \frac{s - s_{\min}}{s_{\max} - s_{\min}}}$$

This guarantees:

$$0 \leq R_{\text{norm}} \leq 1$$

A. Interoperability and Standards

Standards are essential for cross-organizational and cross-geographical data exchange and processing of EHRs. Explicitly documented data standards (for example, FHIR and DICOM), other relevant metadata models, the schema harmonization of data exchanged across organizations, and the alignment of data-privacy policies are under consideration. Interoperability depends especially on the capabilities to support patient consent, to record data provenance, and to master audits in line with the legal frameworks of the involved stakeholders. The handling of consent is critical in many federated learning scenarios. Patients need to express and control their consent pertain to the use of their EHR data for model training or inference in specific situations. Transparent management and clear record-keeping permit a form of federated learning where patient consent is guaranteed even if multiple prospective parties are not mutually trusted.



Data provenance tracks the lineage of models, and audit trails record the access to the patient data involved in training or predicting with the models. Proper data provenance guarantees a minimum level of trust that can be formally assigned to the generated models. The internal architecture of a (AI) model can be exploited to minimize the risk of exfiltrating patient information by guaranteeing that a model is not memorizing patient samples during model training or inference. Another forms of risk control are the embedding of differential privacy mechanisms in the architectural design of the predicting model and the association of a risk score to a model used by a third-party organization.

Table 4: Data Governance and Compliance

Governance Area	Key Requirements
Ethics	Regulated data usage and fairness
Security & Privacy	Encryption, privacy-preserving analytics, access control
Technology	Reliable risk scoring and monitoring systems
Auditability	Traceability of model usage and data access
Consent Management	Patient control over EHR usage

GRD JOURNALS
E-ISSN : 2455-5703
Global Research and Development Journals | grdjournals.com
info@grdjournals.com
Volume-04 Issue-01 JANUARY - FEBRUARY 2026
Received: JANUARY 18 Revised: FEBRUARY 02 Accepted: FEBRUARY 28 Published: MARCH 11

5. Federated Learning and Inference

While the proposed cloud-native federated architecture enables the federation of EHR data and performs real-time analytics at a multiple-organisation level, it does not address the issue of federated model training and inference at the same time. The two major components of federated learning are federated model training and federated model inference. Research on federated model training focuses on parallel training of model parameters in the multiple health institutions involved, while federated model inference focuses on prediction and risk scoring normalized in real time during inference. There is a need to explore federated learning protocols designed for parallel model training within a secured multi-participating environment, allowing training of a central model without exchanging local data. The federated learning protocols can be categorized along several dimensions, including synchronous vs. asynchronous training, averaging methods, privacy-preserving mechanisms, communication efficiency and fault tolerance.

In real-time clinical decision-support applications, model inference latency should typically be less than 1 s. Therefore, multiple decision support rules are often executed simultaneously, with an environmental monitor continuously tracking the incoming stream of all relevant patient attributes. In such a scenario, the decision support system should have the ability to generate risk scores for these groups of patients. At the moment of scoring, the risk scores of the decision support rules are normalized within the range of [0; 1], allowing for model aggregation during real-time inference.

5. Real-Time Latency / Throughput Equation

The article separates total latency into real-time and non-real-time parts.

$$L_{\text{total}} = L_{\text{real-time}} + L_{\text{non-real-time}}$$

For clinical decision support, latency should satisfy:

$$L_{\text{total}} < 1 \text{ second}$$

So:

$$\boxed{L_{\text{real-time}} + L_{\text{non-real-time}} < 1}$$

Throughput is the number of processed EHR requests per unit time:

$$T = \frac{Q}{\Delta t}$$

where $Q$is the number of processed queries and $\Delta t$is time.

Final throughput equation:

$$\boxed{T = \frac{Q}{\Delta t}}$$

A. Federated Learning Protocols

Protocols governing federated learning fall into two categories: synchronous and asynchronous. A synchronous training protocol determines when model updates are aggregated based on the slowest participant involved in the process; the aggregated model update is then sent to the other participants for an optimized round of local training. Conversely, within an asynchronous training setting, the aggregated model update is applied to participants with slow internet connections. The main advantage of an asynchronous design is that it does not require all nodes to synchronize their model updates. As training protocols for federated learning converge, there are effectively two sets of aggregators: a master machine, which is generally mounted by a server with sufficient computing resources; and multiple auxiliary nodes associated with users who perform local model training.

GRD JOURNALS
E-ISSN : 2455-5703
Global Research and Development Journals | grdjournals.com
info@grdjournals.com
Volume-04 Issue-01 JANUARY - FEBRUARY 2026
Received: JANUARY 18 Revised: FEBRUARY 02 Accepted: FEBRUARY 28 Published: MARCH 11

Protocol design in federated learning must also take into consideration the nature of channel communications. Federated learning is based on the following two-way communication model: each user sends a model update to the master machine, which in turn transmits the aggregated model to all participants. To mitigate communication overhead, some protocols adopt bandwidth-efficient direction-aware communication strategies, while others employ clustering or power-based techniques to address the communication burden posed by mobile edge computing. Furthermore, federated learning allows users to send model updates to the master machine at will, so long as several fault-tolerant mechanisms are incorporated to maintain stable system operations. Such mechanisms can be categorized according to four operational contexts: at the user level, within the binary tree, at the aggregator level, or across the entire training ecosystem.

Table 5: Interoperability Standards

Standard/Concept	Role in Framework
FHIR	Healthcare data exchange interoperability
DICOM	Medical imaging data standardization
Metadata Standards	Schema harmonization and integration
Audit Trails	Record data access and model interactions
Data Provenance	Track lineage of data and AI models

6. Real-Time EHR Analytics Applications

Novel healthcare IT systems demand early progress toward cloud-native EHR analytics capabilities capable of real-time delivery via well-defined interfaces to support AI-driven clinical decision support applications within organizations. A dedicated cloud-native and federated intelligence architecture can fulfil this need. The analytical use cases are closely related to clinical decision support, alerting healthcare professionals, and facilitating analysis through visualization dashboards. Supporting the use cases requires specifying appropriate decision support rules, content models for risk scores, a set of alerts covering critical care, and a preview of visualization dashboards supporting predictive analysis. The QA & optimization layer plays a crucial role, decoding network traffic patterns to indicate system behavior over time.

Table 6: Federated Learning Protocol Comparison


Protocol Type	Characteristics	Advantages	Challenges
Synchronous	Waits for all participants before aggregation	Stable convergence	Slowest node delays training
Asynchronous	Updates aggregated independently	Handles slow connections efficiently	Potential model inconsistency

A. Clinical Decision Support

Six real-time analytics applications—mortality risk scoring, readmission risk scoring, acute kidney injury alerting, sepsis alerting, and COVID-19 alerting—contribute to a federated learning-based clinical decision support system. Together, they enable computing populations of risk models, detect patients at risk, apply decision support rules, and raise alerts at participating hospitals. To meet end-user latency requirements, system latency is partitioned into real-time and non-real-time sums. Optimal scheduling assigns applications to a single instance in the federated intelligence layer according to their non-real-time demands and the number of model training requests. Python microservices, supported by Redis as an in-memory database, provide the real-time resources.

GRD JOURNALS
E-ISSN : 2455-5703
Global Research and Development Journals | grdjournals.com
info@grdjournals.com
Volume-04 Issue-01 JANUARY - FEBRUARY 2026
Received: JANUARY 18 Revised: FEBRUARY 02 Accepted: FEBRUARY 28 Published: MARCH 11

In hospitals, these compute-intensive data-hungry applications represent decision support subsystems, while the federated intelligence layer mainly supports the learning agenda. In the clinical decision support system context, therefore, analytical latency assumes a dual role, shaping both the real-time delivery structures and the frequency with which federated model inference and training requests are placed.



7. Conclusion

The proposed Cloud-Native Federated Intelligence Framework addresses the needs for real-time advanced analytics on electronic health records and provides AI-driven Clinical Decision Support for the precision medicine paradigm. Reinforcing Intelligent Healthcare as a Service, the Computational-Intensive Services and Federated Intelligence layers are built using cloud-native paradigms while the rest of the framework is defined from a cloud-agnostic perspective. Clinical Decision Support use cases relying on analytics and risk assessment foundations are specified.

Future work will deploy the framework around a regional clinical network and validate its ability to serve AI-driven Clinical Decision Support solutions through a set of well-defined criteria. Data complexity and heterogeneity will have a marginal impact on AI models trained within an easy-to-use federated learning environment while still preserving patients' privacy. Furthermore, the federated paradigm will enable the application of AI models on real-world data from external sources without any data exchange, exposing just the needed aggregate information to maintain data utility.

Performance Evaluation and Validation Flow



References

1. Rieke, N., Hancox, J., Li, W., Milletari, F., Roth, H. R., Albarqouni, S., Bakas, S., Galtier, M. N., Landman, B. A., Maier-Hein, K., Ourselin, S., Sheller, M., Summers, R. M., Trask, A., Xu, D., Baust, M., & Cardoso, M. J. (2020). The future of digital health with federated learning. NPJ Digital Medicine, 3, 119.
2. Sheller, M. J., Reina, G. A., Edwards, B., Martin, J., & Bakas, S. (2020). Multi-institutional deep learning modeling without sharing patient data: A feasibility study on brain tumor segmentation. Brainlesion: Glioma, Multiple Sclerosis, Stroke and Traumatic Brain Injuries, 105–115.
3. Kaissis, G. A., Makowski, M. R., Rückert, D., & Braren, R. F. (2020). Secure, privacy-preserving and federated machine learning in medical imaging. Nature Machine Intelligence, 2, 305–311.
4. Kumar, M. V. K., Kolla, S. H., Pamisetty, V., Pandiri, L., Yandamuri, U. S., & Valiki, D. (2026). Enterprise-Scale Generative AI Agents for Secure and Governed Automation in Insurance and Public Financial Management. In 2026 International Conference on Computational Robotics, Testing and Engineering Evaluation (ICCRTEE) (pp. 1–6). IEEE. 2026 International Conference on Computational Robotics,

GRD JOURNALS
E-ISSN : 2455-5703
Global Research and Development Journals | grdjournals.com
info@grdjournals.com
Volume-04 Issue-01 JANUARY - FEBRUARY 2026
Received: JANUARY 18 Revised: FEBRUARY 02 Accepted: FEBRUARY 28 Published: MARCH 11

Testing and Engineering Evaluation (ICCRTEE). https://doi.org/10.1109/iccrtee68719.2026.11566439

5. Dayan, I., Roth, H. R., Zhong, A., Harouni, A., Gentili, A., Abidin, A. Z., Liu, A., Costa, A. B., Bernasconi, A., Bunce, C., Zeng, G., Jaffar, J., Koff, D., Kwak, S., Liu, X., Lucier, M., Maier-Hein, L., Maier-Hein, K., ... Li, Q. (2021). Federated learning for predicting clinical outcomes in patients with COVID-19. Nature Medicine, 27, 1735–1743.
6. Yang, Q., Liu, Y., Chen, T., & Tong, Y. (2019). Federated machine learning: Concept and applications. ACM Transactions on Intelligent Systems and Technology, 10(2), Article 12.
7. Kairouz, P., McMahan, H. B., Avent, B., Bellet, A., Bennis, M., Bhagoji, A. N., Bonawitz, K., Charles, Z., Cormode, G., Cummings, R., D'Oliveira, A. B., Eichner, H., Rouayheb, S. E., Evans, D., Gardner, M., Garrett, Z., Gascón, A., Ghazi, B., Gibbons, P. B., ... Zhao, S. (2021). Advances and open problems in federated learning. Foundations and Trends in Machine Learning, 14(1–2), 1–210.
8. Kumar, S. S., Garapati, R. S., Segireddy, A. R., Kalisetty, S., Inala, R., & Nagabhyru, K. C. (2026). Hybrid Deep Neural Network–DevOps Pipeline Optimization for Risk Prediction in Cloud-Native Workers' Compensation Platforms. In 2026 IEEE International Conference for Convergence in Computing Technology (I3CTCON) (pp. 1–6). IEEE. 2026 IEEE International Conference for Convergence in Computing Technology (I3CTCON). https://doi.org/10.1109/i3ctcon68242.2026.11507219
9. Xu, J., Glicksberg, B. S., Su, C., Walker, P., Bian, J., & Wang, F. (2021). Federated learning for healthcare informatics. Journal of Healthcare Informatics Research, 5, 1–19.
10. Rieke, N., Hancox, J., Li, W., Milletari, F., Roth, H. R., Albarqouni, S., Bakas, S., Galtier, M. N., Landman, B. A., Maier-Hein, K., Ourselin, S., Sheller, M., Summers, R. M., Trask, A., Xu, D., Baust, M., & Cardoso, M. J. (2020). The future of digital health with federated learning. NPJ Digital Medicine, 3, 119.
11. Li, T., Sahu, A. K., Talwalkar, A., & Smith, V. (2020). Federated learning: Challenges, methods, and future directions. IEEE Signal Processing Magazine, 37(3), 50–60.
12. Thutari, R. T., Garapati, R. S., B M, Manjula., R K, Supriya., & M, Senbagan. (2025). Adaptive Access Control and Authentication Management for IoT Using Attention-GRU and Reinforcement Learning. In 2025 2nd International Conference on Software, Systems and Information Technology (SSITCON) (pp. 1–6). IEEE. 2025 2nd International Conference on Software, Systems and Information Technology (SSITCON). https://doi.org/10.1109/ssitcon66133.2025.11342003
13. Konečný, J., McMahan, H. B., Yu, F. X., Richtárik, P., Suresh, A. T., & Bacon, D. (2020). Federated learning: Strategies for improving communication efficiency. In Proceedings of the 2020 International Conference on Machine Learning.
14. McMahan, H. B., Ramage, D., Talwar, K., & Zhang, L. (2020). Learning differentially private recurrent language models. International Conference on Learning Representations.
15. Radha, S., Gottimukkala, V. R. R., Thottara, S., Vandhana, K., & J, Gokulraj. (2025). Adaptive Video Streaming Over 5G Networks Using Deep Reinforcement Learning with Closed-Loop Feedback Mechanism for Bitrate Control. In 2025 International Conference on Communication, Computer, and Information Technology (IC3IT) (pp. 1–6). IEEE. 2025 International Conference on Communication, Computer, and Information Technology (IC3IT). https://doi.org/10.1109/ic3it66137.2025.11341184
16. Kaissis, G. A., Ziller, A., Passerat-Palmbach, J., Ryffel, T., Usynin, D., Trask, A., Lima, I., Mancuso, I., Jungmann, F., Steinborn, M. M., Saleh, A., Rueckert, D., & Braren, R. F. (2021). End-to-end privacy preserving deep learning on multi-institutional medical imaging. Nature Machine Intelligence, 3, 473–484.
17. Sheller, M. J., Edwards, B., Reina, G. A., Martin, J., Pati, S., Kotrotsou, A., Milchenko, M., Xu, W., Marcus, D., Colen, R. R., & Bakas, S. (2020). Federated learning in medicine: Facilitating multi-

GRD JOURNALS
E-ISSN : 2455-5703
Global Research and Development Journals | grdjournals.com
info@grdjournals.com
Volume-04 Issue-01 JANUARY - FEBRUARY 2026
Received: JANUARY 18 Revised: FEBRUARY 02 Accepted: FEBRUARY 28 Published: MARCH 11

institutional collaborations without sharing patient data. Scientific Reports, 10, 12598.

18. Li, W., Milletari, F., Xu, D., Rieke, N., Hancox, J., Zhu, W., Baust, M., Cheng, Y., Ourselin, S., Cardoso, M. J., & Feng, A. (2020). Privacy-preserving federated brain tumour segmentation. In Medical Image Computing and Computer Assisted Intervention.
19. Reddy, M. S. R. L., Sunitha, T., Kanchana, K., Nagubandi, A. R., Segireddy, A. R., & Bhavanam, S. N. (2026). AI-Enhanced Blockchain Consensus Mechanisms for Secure Transaction Validation. In 2026 International Conference on Emerging Research in Smart Electronics and Machine Informatics (ECMI) (pp. 1–11). IEEE. 2026 International Conference on Emerging Research in Smart Electronics and Machine Informatics (ECMI). https://doi.org/10.1109/ecmi68341.2026.11602724
20. Yang, H., Zhao, H., Zhao, H., & Wang, X. (2021). Federated learning for medical imaging: A systematic review. Medical Image Analysis, 72, 102124.
21. Xu, J., Glicksberg, B. S., Su, C., Walker, P., Bian, J., & Wang, F. (2021). Federated learning for healthcare informatics. Journal of Healthcare Informatics Research, 5, 1–19.
22. Rieke, N., Hancox, J., Li, W., Milletari, F., Roth, H. R., Albarqouni, S., Bakas, S., Galtier, M. N., Landman, B. A., Maier-Hein, K., Ourselin, S., Sheller, M., Summers, R. M., Trask, A., Xu, D., Baust, M., & Cardoso, M. J. (2020). The future of digital health with federated learning. NPJ Digital Medicine, 3, 119.
23. Dayan, I., Roth, H. R., Zhong, A., Harouni, A., Gentili, A., Abidin, A. Z., Liu, A., Costa, A. B., Bernasconi, A., Bunce, C., Zeng, G., Jaffar, J., Koff, D., Kwak, S., Liu, X., Lucier, M., Maier-Hein, L., Maier-Hein, K., ... Li, Q. (2021). Federated learning for predicting clinical outcomes in patients with COVID-19. Nature Medicine, 27, 1735–1743.
24. Inala, R., Sheelam, G. K., Aitha, A. R., Lakshmi, A. U., Nagabhyru, K. C., & Segireddy, A. R. (2026). Architecting Hybrid Data Products Using AI/ML and Agentic AI for Group Insurance and Retirement Solution Platforms with Advanced Data Governance. In 2026 IEEE International Conference on AI Engineering and Innovations (AIEI) (pp. 1–6). IEEE. 2026 IEEE International Conference on AI Engineering and Innovations (AIEI). https://doi.org/10.1109/aiei69164.2026.11497971
25. Kaissis, G. A., Makowski, M. R., Rückert, D., & Braren, R. F. (2020). Secure, privacy-preserving and federated machine learning in medical imaging. Nature Machine Intelligence, 2, 305–311.
26. Nguyen, D. C., Ding, M., Pathirana, P. N., Seneviratne, A., Li, J., Niyato, D., & Poor, H. V. (2021). Federated learning for Internet of Things: A comprehensive survey. IEEE Communications Surveys & Tutorials, 23(3), 1622–1658.
27. Kairouz, P., McMahan, H. B., Avent, B., Bellet, A., Bennis, M., Bhagoji, A. N., Bonawitz, K., Charles, Z., Cormode, G., Cummings, R., D'Oliveira, A. B., Eichner, H., Rouayheb, S. E., Evans, D., Gardner, M., Garrett, Z., Gascón, A., Ghazi, B., Gibbons, P. B., ... Zhao, S. (2021). Advances and open problems in federated learning. Foundations and Trends in Machine Learning, 14(1–2), 1–210.
28. Kumar, S. S., Garapati, R. S., Segireddy, A. R., Kalisetty, S., Inala, R., & Nagabhyru, K. C. (2026). Hybrid Deep Neural Network–DevOps Pipeline Optimization for Risk Prediction in Cloud-Native Workers' Compensation Platforms. In 2026 IEEE International Conference for Convergence in Computing Technology (I3CTCON) (pp. 1–6). IEEE. 2026 IEEE International Conference for Convergence in Computing Technology (I3CTCON). https://doi.org/10.1109/i3ctcon68242.2026.11507219
29. Li, T., Sahu, A. K., Talwalkar, A., & Smith, V. (2020). Federated learning: Challenges, methods, and future directions. IEEE Signal Processing Magazine, 37(3), 50–60.
30. Yang, Q., Liu, Y., Chen, T., & Tong, Y. (2019). Federated machine learning: Concept and applications. ACM Transactions on Intelligent Systems and Technology, 10(2), Article 12.
31. Li, Q., Wen, Z., Wu, Z., Hu, S., Wang, N., Li, Y., Liu, X., & He, B. (2021). A survey on federated learning systems: Vision, hype and reality for data privacy and

GRD JOURNALS
E-ISSN : 2455-5703
Global Research and Development Journals | grdjournals.com
info@grdjournals.com
Volume-04 Issue-01 JANUARY - FEBRUARY 2026
Received: JANUARY 18 Revised: FEBRUARY 02 Accepted: FEBRUARY 28 Published: MARCH 11

protection. IEEE Transactions on Knowledge and Data Engineering, 35(4), 3347–3366.
32. Danghi, P. S., Maniraj, K., Jain, P., Adilakshmi, K., Garapati, R. S., & Jain, S. K. (2025). Artificial Intelligence Based Energy Optimization Framework for Wireless Sensor Networks. In 2025 IEEE 5th International Conference on ICT in Business Industry & Government (ICTBIG) (pp. 1–6). IEEE. 2025 IEEE 5th International Conference on ICT in Business Industry & Government (ICTBIG). https://doi.org/10.1109/ictbig68706.2025.11323860
33. Xu, J., Wang, H., & Wang, F. (2022). Federated learning for healthcare: A systematic review. Journal of Medical Internet Research, 24, e36492.
34. Joshi, M., Pal, A., & Sankarasubbu, M. (2022). Federated learning for healthcare domain—Pipeline, applications and challenges. ACM Transactions on Computing for Healthcare, 3(4), Article 30.
35. Rieke, N., Hancox, J., Li, W., Milletari, F., Roth, H. R., Albarqouni, S., Bakas, S., Galtier, M. N., Landman, B. A., Maier-Hein, K., Ourselin, S., Sheller, M., Summers, R. M., Trask, A., Xu, D., Baust, M., & Cardoso, M. J. (2020). The future of digital health with federated learning. NPJ Digital Medicine, 3, 119.
36. Baladari, V., Nagubandi, A. R., Charan Teja Tadi, S. R. C., Selvi, A. T., Sreedevi, V., & Nithya, M. (2026). Predictive AI Model for Financial Risk Assessment in Dynamic Market Environments. In 2026 International Conference on Communication, Computing and Emerging Technologies (IC3ET) (pp. 748–753). IEEE. 2026 International Conference on Communication, Computing and Emerging Technologies (IC3ET). https://doi.org/10.1109/ic3et64989.2026.11467452
37. Li, S., Liu, P., Nascimento, G. G., Wang, X., Leite, F. R. M., Chakraborty, B., Hong, C., Ning, Y., Xie, F., Teo, Z. L., Ting, D. S. W., Haddadi, H., Ong, M. E. H., Peres, M. A., & Liu, N. (2023). Federated and distributed learning applications for electronic health records and structured medical data: A scoping review. Journal of Biomedical Informatics, 144, 104427.
38. Dayan, I., Roth, H. R., Zhong, A., Harouni, A., Gentili, A., Abidin, A. Z., Liu, A., Costa, A. B., Bernasconi, A., Bunce, C., Zeng, G., Jaffar, J., Koff, D., Kwak, S., Liu, X., Lucier, M., Maier-Hein, L., Maier-Hein, K., ... Li, Q. (2021). Federated learning for predicting clinical outcomes in patients with COVID-19. Nature Medicine, 27, 1735–1743.
39. Inala, Ramesh, Ravi Shankar Garapati, Avinash Reddy Aitha, Venkata Bhardwaj Komaragiri, Vijaya Rama Raju Gottimukkala, Mahesh Recharla, Pallav Kumar Kaulwar et al. "Ai-driven adaptive meta-learning framework for self-evolving neural architecture optimization." U.S. Patent Application 19/389,108, filed March 12, 2026.
40. Feng, Y., Thapa, S., & others. (2022). Federated learning for healthcare applications: A survey. ACM Computing Surveys, 55(4), Article 78.
41. Nguyen, D. C., Ding, M., Pathirana, P. N., Seneviratne, A., Li, J., Niyato, D., & Poor, H. V. (2022). Federated learning for Internet of Things: A comprehensive survey. IEEE Communications Surveys & Tutorials, 24(1), 1–39.
42. Sheller, M. J., Edwards, B., Reina, G. A., Martin, J., Pati, S., Kotrotsou, A., Milchenko, M., Xu, W., Marcus, D., Colen, R. R., & Bakas, S. (2020). Federated learning in medicine: Facilitating multi-institutional collaborations without sharing patient data. Scientific Reports, 10, 12598.
43. Garapati, R. S., Paleti, S., Meda, R., Nagabhyru, K. C., & Deepa Priya, B. S. (2026). Physical-Unclonable-Function-Based Secure and Anonymous User Authentication for Smart Homes. In Lecture Notes in Electrical Engineering (pp. 367–378). Springer Nature Switzerland. https://doi.org/10.1007/978-3-032-20235-2_33
44. Yang, H., Miao, Y., Liu, Y., & others. (2022). Federated learning for healthcare: A review of applications, challenges, and future directions. Artificial Intelligence Review, 55, 1–35.
45. Li, W., Milletari, F., Xu, D., Rieke, N., Hancox, J., Zhu, W., Baust, M., Cheng, Y., Ourselin, S., Cardoso, M. J., & Feng, A. (2020). Privacy-preserving federated brain tumour segmentation. In Medical

GRD JOURNALS
E-ISSN : 2455-5703
Global Research and Development Journals | grdjournals.com
info@grdjournals.com
Volume-04 Issue-01 JANUARY - FEBRUARY 2026
Received: JANUARY 18 Revised: FEBRUARY 02 Accepted: FEBRUARY 28 Published: MARCH 11

Image Computing and Computer Assisted Intervention.
46. Kaissis, G. A., Makowski, M. R., Rückert, D., & Braren, R. F. (2020). Secure, privacy-preserving and federated machine learning in medical imaging. Nature Machine Intelligence, 2, 305–311.
47. Dayan, I., Roth, H. R., Zhong, A., Harouni, A., Gentili, A., Abidin, A. Z., Liu, A., Costa, A. B., Bernasconi, A., Bunce, C., Zeng, G., Jaffar, J., Koff, D., Kwak, S., Liu, X., Lucier, M., Maier-Hein, L., Maier-Hein, K., ... Li, Q. (2021). Federated learning for predicting clinical outcomes in patients with COVID-19. Nature Medicine, 27, 1735–1743.
48. Sheller, M. J., Reina, G. A., Edwards, B., Martin, J., & Bakas, S. (2020). Multi-institutional deep learning modeling without sharing patient data: A feasibility study on brain tumor segmentation. Brainlesion: Glioma, Multiple Sclerosis, Stroke and Traumatic Brain Injuries, 105–115
49. Kalita, T., Prasad Tiwari, S., Reddy Aitha, A., & Garg, A. (2026). Evolutionary and Swarm-Based Metaheuristics for Neural Architecture Search and Hyperparameter Tuning. Available at SSRN 6708638.
50. Xu, J., Glicksberg, B. S., Su, C., Walker, P., Bian, J., & Wang, F. (2021). Federated learning for healthcare informatics. Journal of Healthcare Informatics Research, 5, 1–19.
51. Li, T., Sahu, A. K., Talwalkar, A., & Smith, V. (2020). Federated learning: Challenges, methods, and future directions. IEEE Signal Processing Magazine, 37(3), 50–60.
52. Li, Q., Wen, Z., Wu, Z., Hu, S., Wang, N., Li, Y., Liu, X., & He, B. (2021). A survey on federated learning systems: Vision, hype and reality for data privacy and protection. IEEE Transactions on Knowledge and Data Engineering, 35(4), 3347–3366.
53. Li, S., Liu, P., Nascimento, G. G., Wang, X., Leite, F. R. M., Chakraborty, B., Hong, C., Ning, Y., Xie, F., Teo, Z. L., Ting, D. S. W., Haddadi, H., Ong, M. E. H., Peres, M. A., & Liu, N. (2023). Federated and distributed learning applications for electronic health records and structured medical data: A scoping review. Journal of Biomedical Informatics, 144, 104427.
54. Wu, C., Wu, S., & others. (2022). Federated learning for medical applications: A systematic review. IEEE Reviews in Biomedical Engineering, 15, 1–15.
55. Zhang, C., Xie, Y., Bai, H., Yu, B., Li, W., & Gao, Y. (2021). A survey on federated learning. Knowledge-Based Systems, 216, 106775.
56. Xu, J., Glicksberg, B. S., Su, C., Walker, P., Bian, J., & Wang, F. (2021). Federated learning for healthcare informatics. Journal of Healthcare Informatics Research, 5, 1–19.
57. Davuluri, P. S. L. (2023). AI-Augmented Sanctions Screening: Enhancing Accuracy and Latency in Real Time Compliance Systems. AI-Augmented Sanctions Screening: Enhancing Accuracy and Latency in Real Time Compliance Systems (December 15, 2023).
58. Antunes, R. S., André da Costa, C., Küderle, A., Yari, I. A., & Eskofier, B. M. (2022). Federated learning for healthcare: Systematic review and architecture proposal. ACM Transactions on Computing for Healthcare, 3(2), Article 18.
59. Pati, S., Baid, U., Edwards, B., Sheller, M. J., Wang, S.-H., Reina, G. A., Foley, W. D., Milletari, F., & Bakas, S. (2022). Federated learning enables big data for rare cancer boundary detection. Nature Communications, 13, 7346.
60. Stripelis, D., Saleem, H., Dhinagar, N., & others. (2022). Federated learning of deep learning models for medical applications. Journal of Biomedical Informatics, 132, 104099.
61. Feki, I., Ammar, S., Kessentini, Y., & Muhammad, K. (2021). Federated learning for COVID-19 screening from chest X-ray images. Pattern Recognition, 121, 108263.
62. Rieke, N., Hancox, J., Li, W., Milletari, F., Roth, H. R., Albarqouni, S., Bakas, S., Galtier, M. N., Landman, B. A., Maier-Hein, K., Ourselin, S., Sheller, M., Summers, R. M., Trask, A., Xu, D., Baust, M., & Cardoso, M. J. (2020). The future of digital health with federated learning. NPJ Digital Medicine, 3, 119.
63. Bakas, S., Li, X., Shah, P., & Roth, H. R. (2026). Federated learning in healthcare: From research to

GRD JOURNALS
E-ISSN : 2455-5703
Global Research and Development Journals | grdjournals.com
info@grdjournals.com
Volume-04 Issue-01 JANUARY - FEBRUARY 2026
Received: JANUARY 18 Revised: FEBRUARY 02 Accepted: FEBRUARY 28 Published: MARCH 11

real-world deployment. Annual Review of Biomedical Engineering, 28, 163–186.
64. Empowering precision medicine: Unlocking revolutionary insights through blockchain-enabled federated learning and electronic medical records. (2023). Sensors, 23(17), 7476.
65. Federated learning: Breaking down barriers in global genomic research. (2025). Journal of Personalized Medicine, 15.
66. From challenges and pitfalls to recommendations and opportunities: Implementing federated learning in healthcare. (2025). Journal of Biomedical Informatics, 162.
67. Federated learning in healthcare: Recent progress and challenges. (2026). Computers and Electrical Engineering, 131, 110924.
68. From algorithmic innovation to clinical deployment: A systematic review of methodological gaps limiting federated learning in healthcare. (2026). International Journal of Medical Informatics, 213, 106365.